


**Comput-Ability® Estimate Systems
Mechanical Insulation's Key Estimator™ - Version XV**


MIKE™ XV Guide for programming the MIKE XV VTO Smart Menu.



A program displayed image of the Smart Menu Insert will be displayed as shown below.

Make sure this box is checked







All buttons can be programmed, but these are designed specifically for Systems and Types

Double Click on one of these cells

A Button Setup Screen will display



When done click here

Key in what you want displayed and what you want to send to MIKE XV

C:\Program Files\Comput-Ability\Visual Takeoff\mike.menu

SMART MENU

Modify Menu

	M	0	1	2	3	4	5	6	7	8	9				
TAB =>	Color	Color	Color	Pipe TakeOff	Duct TakeOff	Equip Takeoff	REC	RND	OVL	Zoom	Return Value	CHW	SUP	A	Y
TAB <=	Color	Color	Color	7	8	9	*	1/8	Undo Editing	Continuous	Return Lineal	HWH	RET	C	H
Zoom	Home	UP	Page Up	4	5	6	/	3/8	Delete Line	Segment	Return Count	DCW	OSA	E	
Exit	Left	Delete	Right	1	2	3	-	5/8	Ditto	Count Each	Return to Estimate	DHW		0	
Enter	End	Down	Page Down	0	-	=	+	7/8	Create Line	Trace	Drops	STM	GRD	I	
1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4	4 1/2	5	6	7	8	9
10	11	12	14	15	16	17	18	19	20	21	22	23	24	25	26

Changed Cell, repeat on other cells until finished - then click exit button

